

## **COMPRESSOR DATA SHEET**

## **Rotary Screw Compressor**

| MODEL DATA - FOR COMPRESSED AIR |   |              |                          |
|---------------------------------|---|--------------|--------------------------|
| 1                               | Manufacturer: Kaeser Compressors, Inc.  |              |                          |
|                                 | Model Number: SFC 55 - 110 psig   |              |                          |
| 2                               | X Air-cooled Water-cooled   | # of Stages: | 1                        |
|                                 | X Oil-injected Oil-free   | VALUE        | UNIT                     |
| 3                               | Rated Capacity at Full Load Operating Pressure <sup>a</sup>                               | 381          | acfm <sup>a</sup>        |
| 4                               | Full Load Operating Pressure <sup>b</sup>   | 100          | psig <sup>b</sup>        |
| 5                               | Maximum Full Flow Operating Pressure <sup>c</sup>   | 110          | psig <sup>c</sup>        |
| 6                               | Drive Motor Nameplate Rating  | 75           | hp                       |
| 7                               | Drive Motor Nameplate Efficiency  | 93           | percent                  |
| 8                               | Fan Motor Nameplate Rating (if applicable)  | 1.3          | hp                       |
| 9                               | Fan Motor Nameplate Efficiency  | 75           | percent                  |
| 10                              | Total Package Power Input at Rated Capacity and Full Load Operating Pressure <sup>d</sup> | 72.38        | $\mathrm{kW}^\mathrm{d}$ |
| 11                              | Specific Package Input Power at Rated Capacity and Full<br>Load Operating Pressure        | 19.0         | kW/100 cfm               |

## NOTES:

- Measured at the discharge terminal point of the compressor package in accordance with the CAGI/PNEUROP PN2CPTC2 Test Code (Annex C to ISO 1217); acfm is actual cubic feet per minute at inlet conditions.
- The operating pressure at which the Capacity (item 3) and Electrical Consumption (item 10) were measured for
- Maximum pressure attainable at full flow, usually the unload pressure setting for load/no load control or the maximum pressure attainable before capacity control begins. May require additional power.
- Total package input power at other than reported operating points will vary with control strategy.

## Member:



This form was developed by the Compressed Air and Gas Institute for the use of its members. CAGI has not independently verified the reported data.

Form Number ROT 030